





MINI

MINI

Minimalist yaklaşımda sınırsız seçenek: MINI

LAMP 83'ün en kalabalık ürün ailesi MINI, tam 17 farklı seçeneği ile karşınızda. Minik boyutları, yuvarlak ve kare çerçeveleri, yönlendirilebilir versiyonları, ışık kırıcı opsiyonu, ikili ve üçlü seçenekleri gibi özellikleri sayesinde MINI ailesi, ankastre ürün ile aydınlatma istenen her yerde kullanılabilir.

MINI ailesinde, Drop, Art, Minor, Sight, More, Thiny, Deep, Craft ve Sign adı altında dokuz farklı ürün tipi yer alıyor. Bu ürünlerden yuvarlak olanlarda çap sadece 40 mm'den başlayarak 120 mm'ye kadar çıkarken; 55 ile 130 mm arasında değişen yükseklikler sayesinde çok alçak asma tavan uygulamalarında bile MINI ailesini kullanmak mümkün oluyor. Kare ürünlerin boyutu ise 74x74 mm'den başlıyor.

Aile içindeki ürünlerde 1 ile 9W arasında değişen sekiz farklı güçte LED ışık kaynağı kullanılıyor ve ürünlerin bazıları, dikey ekseninde 30°'ye kadar yönlendirilebilir. Özellikle optik lensli ürünler, ışık üzerinde mükemmel bir kontrol sunuyor. Ailedeki ürünlerin ışık açıları 10° ile 40° arasında değişiyor.

Ailenin bazı ürünleri, IP44 koruma sınıfı ile ıslak hacimlerde de kullanılabilir.

Kullanım Alanları:

MINI ürün ailesi; ufak boyutları ile özellikle alçak asma tavan uygulamaları dahilinde kullanılabilir. MINI ürünleri ufak ürünle genel aydınlatma ihtiyacının karşılanabileceği konutlar, ofisler, otel odaları, hastaneler, ıslak hacimler, dolap içleri gibi mekanlarda ya da vurgu aydınlatmasına ihtiyaç duyulan sanat galerileri ve müzeler gibi yerlerdeki tablo, heykel vb dekoratif objelerin aydınlatmasında görev yapabilir.

Unlimited option in minimalist approach: MINI

As being LAMP 83's most crowded product family, MINI is at your disposal providing 17 different options. MINI family, can be used in every place that needs to be illuminated by recessed products thanks to its exclusive specifications such as small dimensions, round and square frames, adjustable versions, glare shield options and dual or triple body versions.

MINI family consists of nine different products to be named as Drop, Art, Minor, Sight, More, Thiny, Deep, Craft and Sign. For round shaped versions of these products, diameters start from as small as 40 mm up to 120 mm. Moreover, since the height of the products vary between 55 to 130 mm, it's suitable to use MINI product family in applications within very low suspended ceilings. Additionally, the dimension of square products starts from 74x74 mm upwards.

Whereas MINI family products are offered with highly efficient LED chips, varying in eight different power level between 1 to 9W, it is also possible for some products to be tilted up to 30° over vertical axis. Exclusively designed optical lenses provide perfect control over the light.

Beam angles of the family's products range from 10° and 40°.

Some products of the family can be use in wet areas with IP44 protection class.

Application Areas:

MINI family is suitable to use in every sort of lower suspended ceilings thanks to its low body height & small dimensions. MINI products can be used to illuminate places like homes, offices, hotel rooms, hospitals, wet areas, inside of cabinets etc. where the need for general lighting with small products. As the products are providing perfect lighting solutions where accent lighting is needed, they can also be used to illuminate the decorative objects such as statues, painting tables in art galleries and museums.





MINI
ACIBADEM ALTUNİZADE HASTANESİ - İSTANBUL



MINI

ÇELİK PALAS - BURSA





MINI

ÜRÜN AİLESİ / *PRODUCT FAMILY*

MINI ANKASTRE / RECESSED



- Dokuz farklı tipte toplam 17 farklı ankastre ürün
- Yuvarlak ürünler 40 mm çaptan, kare ürünlerde 74x74 mm boyutlarından başlayan minimum gövde boyutu
- 1 - 9W arası sekiz farklı güçte A+ sınıfı enerji verimli, 50.000 saat ömürlü LED
- 115 – 1.250 lümen arası (LED) ışık akısı
- Optik lens veya anodize metal reflektörle kusursuz ışık kontrolü
- Ürüne göre 12° ile 44° arasında değişen dokuz farklı ışık açısı
- 3000K – 4000K (CCT) ışık renk sıcaklığı
- Bazı ürünlerde dikeyde 30°'ye kadar yönlendirilebilme
- DALI dim seçeneği, otomasyona uyumlu (opsiyonel)

- Nine different product types comprising 17 different recessed versions
- Minimum body dimensions as small as 40 mm diameter in round type & 74x74 mm in square type
- Class A+ energy efficient & 50.000 hours life time LED between 1 to 9W
- LED lumen output between 115 – 1.250 lm
- Perfect control over the light with optical lenses or anodized metal reflectors
- Product based nine different beam angles range from 12° and 44°
- 3000K – 4000K (CCT) light color temperature
- Adjustability up to 30° in vertical axis for some versions
- DALI dim option, suitable for automation (optional)



MINI
ÇELİK PALAS -BURSA



MINI
WYNDHAM HOTEL - İSTANBUL



MINI


SINPAŞ/BOSPHORUS CITY - İSTANBUL



MINI ANKASTRE / RECESSED



DROP



W • lm	Standard
1 W • 115 lm	L AN4141030
2 W • 200 lm	L AN4141031



3000K - 4000K • 145 gr



ERC



IP 20

850°




A

DROP



CR 100101 h:75mm



W • lm	Standard
1 W • 115 lm	L AN4142030
2 W • 200 lm	L AN4142031



CR 100102 h:75mm



CR 100103 h:64mm



3000K - 4000K • 155 gr



ERC




IP 20

850°



A

ART



W • lm	Standard	DALI Dimm
6 W • 890 lm	L AN4103030	L AN4103040
9 W • 1250 lm	L AN4103031	L AN4103041



3000K - 4000K • 465 gr



ERC




IP 20

850°



A

ART



W • lm	Standard
5,5 W • 350 lm	L AN4101034



3000K - 4000K • 240 gr



ERC




IP 20

850°



A

MINOR



W • lm	Standard	DALI Dimm
6 W • 890 lm	L AN4092030	L AN4092040
9 W • 1250 lm	L AN4092031	L AN4092041



3000K - 4000K • 420 gr



ERC



IP 20

850°




A

MINI ANKASTRE / RECESSED



MINOR



W • lm
5,5 W • 350 lm

Standard
L AN4091034



3000K - 4000K • 185 gr




IP 20

850°



SIGHT



W • lm
6 W • 890 lm
9 W • 1250 lm

Standard
L AN4203030
L AN4203031

DALI Dimm
L AN4203040
L AN4203041



3000K - 4000K • 465 gr




IP 20

850°



MORE



W • lm
6 W • 890 lm
9 W • 1250 lm

Standard
L AN4104030
L AN4104031

DALI Dimm
L AN4104040
L AN4104041



3000K - 4000K • 480 gr




IP 20

850°



MORE



W • lm
5,5 W • 350 lm

Standard
L AN4102034



3000K - 4000K • 265 gr




IP 20

850°



THINY



W • lm
6 W • 890 lm
9 W • 1250 lm

Standard
L AN4171030
L AN4171031

DALI Dimm
L AN4171040
L AN4171041



3000K - 4000K • 415 gr



IP 20


850°



MINI ANKASTRE / RECESSED








DEEP




W • lm	Standard	DALI Dimm
6 W • 890 lm	L AN4162030	L AN4162040
9 W • 1250 lm	L AN4162031	L AN4162041
IP 44 (on room side)		
6 W • 890 lm	L AN4163030	L AN4163040
9 W • 1250 lm	L AN4163031	L AN4163041



3000K - 4000K • 365 - 450 gr     








DEEP




W • lm	Standard
5,5 W • 350 lm	L AN4161034



3000K - 4000K • 150 gr     








CRAFT




W • lm	Standard	DALI Dimm
6 W • 890 lm	L AN4153030	L AN4153040
9 W • 1250 lm	L AN4153031	L AN4153041



3000K - 4000K • 435 gr     








CRAFT




W • lm	Standard
5,5 W • 350 lm	L AN4151034




3000K - 4000K • 225 gr     

MINI ANKASTRE / RECESSED



W • lm	Standard
3,0 W • 350 lm	L AN4071030
4,5 W • 500 lm	L AN4071031

Mobilya montajına uygun.
Suitable for furniture
mounting.



W • lm	Standard
3,0 W • 350 lm	L AN4072030
4,5 W • 500 lm	L AN4072031

Alçıpan montajına uygun.
Suitable for plaster surface
mounting.



3000K - 4000K • 150 gr



EAC



IP 20

850°

